

Super High Fan Coil 208~230V



Job Name: _____ Date: _____


System Reference No.: _____ Engineer Signature: _____

Model: GMV-ND48PHS/B-T(U)



| Specifications | Unit | Parameter |
|--------------------------------------|-----------------------|-----------------------------|
| Performance | | GMV-ND48PHS/B-T(U) |
| Rated Cooling Capacity | kBtu/h | 48.0 |
| Rated Heating Capacity | kBtu/h | 54.0 |
| Sound Pressure Level (H/M/L) | dB(A) | 46/43/41 |
| Electrical Data | | |
| Power supply | Voltage, Phase, Hertz | 208/230, 1, 60 |
| Minimum Circuit Amps (MCA) | A | 1.7 |
| Maximum Overcurrent Protection (MOP) | A | 15 |
| Fuse | A | 15 |
| Fan | | |
| Type x Quantity | | Centrifugal x 3 |
| Air Flow Volume (H/M/L) | CFM | 1383/1118/971 |
| ESP | in.W.G. | 0~0.8 |
| Fan Motor Running Current | A | 1.3 |
| Fan Motor Power Input | W | 560 |
| Refrigerant Piping | | |
| Connection Pipe | Gas (inch) | 5/8 |
| | Liquid (inch) | 3/8 |
| Connection Method | | Brazing Connection |
| Refrigerant | | R410A |
| Dimension/Weight | | |
| Dimensions (WxDxH) | inch | 55-1/8 x 27-9/16 x 11-13/16 |
| Net Weight | lbs | 128 |
| Other | | |
| Safety Certification | | ETL |

Outline and Physical Dimensions of GMV-ND48PHS/B-T(U).



Unit:mm(in.)

