

# Wall-Mounted 208~230V




Job Name: \_\_\_\_\_ Date: \_\_\_\_\_  
 System Reference No.: \_\_\_\_\_ Engineer Signature: \_\_\_\_\_

## Model: GMV-ND36G/B4B-T(U)



Specifications	Unit	Parameter
<b>Performance</b>		
GMV-ND36G/B4B-T(U)		
Rated Cooling Capacity	kBtu/h	32.5
Rated Heating Capacity	kBtu/h	36.0
Sound Pressure Level (H/M/L)	dB(A)	52/48/40
<b>Electrical Data</b>		
Power supply	Voltage, Phase, Hertz	208/230, 1, 60
Minimum Circuit Amps (MCA)	A	1
Maximum Overcurrent Protection (MOP)	A	15
<b>Fan</b>		
Type x Quantity		Cross-flow x 1
Air Flow Volume (H/M/L)	CFM	971/647/530
Fan Motor Running Current	A	0.41
Fan Motor Power Input	W	100
<b>Refrigerant Piping</b>		
Connection Pipe	Gas (inch)	5/8
	Liquid (inch)	3/8
Connection Method		Flare Connection
Refrigerant		R410A
<b>Dimension/Weight</b>		
Dimensions (HxWxD)	inch	53-1/8 x 10-3/16 x 12-13/16
Net Weight	lbs	41
<b>Other</b>		
Safety Certification		ETL

# Outline and Physical Dimensions of GMV-ND36G/B4B-T(U).



Unit:mm(in.)

